



STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

Interim



CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL ACCREDITATION

Is hereby granted to

Monterey One Water (M1W)

Laboratory Division

14811 Del Monte Boulevard

Marina, CA 93933

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site inspection, proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1195**

Expiration Date: **5/31/2019**

Effective Date: **6/1/2018**

A handwritten signature in cursive script, reading "Christine Sotelo".

Sacramento, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program



Received

MAY 29 2018



EDMUND G. BROWN JR.
GOVERNOR



MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

State Water Resources Control Board

Monterey One Water
Administration

May 22, 2018

Patrice Parsons
Monterey One Water (M1W)
5 Harris Court, Building D
Monterey, CA 93940

Dear Patrice Parsons:

Certificate No. 1195

This is to advise you that the laboratory named above has been granted an interim certificate pursuant to California Health and Safety Code (HSC), Division 101, Part 1, Chapter 4, Section 100850(d).

The Fields of Testing for which this laboratory has been granted interim certification is shown in the enclosed "Fields of Testing". The Interim certificate shall remain in effect until **May 31, 2019** or until a certificate pursuant to HSC 100825(a) is issued.

Your laboratory is required to participate in the appropriate performance evaluation studies and to perform acceptably in such studies as stated in HSC 100870 and Title 22 of the California Code of Regulations Section 64809. Continued compliance with the Environmental Laboratory Accreditation Program statutes and regulations is required for maintaining the interim certification status.

Any changes in laboratory location or structural alterations, which may adversely affect the quality of analysis in the fields of testing for which the laboratory has been granted certification, require prior notification. Notification is also required for changes in ownership or laboratory director within 30 days after the change (HSC 100845(b) and (d)).

Contact our office at (916) 323-3431 or elapca@waterboards.ca.gov for questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Christine Sotelo".

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program

Enclosure



STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

**CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing**



Monterey One Water (M1W)

Laboratory Division
14811 Del Monte Boulevard
Marina, CA 93933
Phone: (831) 883-1118

Certificate No. 1195
Expiration Date 5/31/2019
INTERIM

Field of Testing: 101 - Microbiology of Drinking Water

101.010 001	Heterotrophic Bacteria	SM9215B
101.020 001	Total Coliform P/A	SM9221B
101.020 002	Fecal Coliform P/A	SM 9221 B,E
101.020 003	E. coli P/A	SM 9221 B,F
101.020 004	Total Coliform (Enumeration)	SM9221B,C
101.020 005	Fecal Coliform (Enumeration)	SM 9221 B,E
101.020 006	E. coli (Enumeration)	SM 9221 B,F
101.050 001	Total Coliform P/A	SM9223B (Collert)
101.050 002	E. coli P/A	SM9223B (Collert)
101.050 003	Total Coliform (Enumeration)	SM9223B (Collert)
101.050 004	E. coli (Enumeration)	SM9223B (Collert)

Field of Testing: 102 - Inorganic Chemistry of Drinking Water

102.030 003	Chloride	EPA 300.0
102.030 006	Nitrate (as N)	EPA 300.0
102.030 007	Nitrite (as N)	EPA 300.0
102.030 008	Phosphate, Ortho (as P)	EPA 300.0
102.030 009	Sulfate	EPA 300.0
102.100 001	Alkalinity	SM2320B-1997
102.120 001	Hardness (calculation)	SM2340B-1997
102.130 001	Conductivity	SM2510B-1997
102.140 001	Residue, Filterable TDS	SM2540C-1997
102.260 001	Total Organic Carbon TOC	SM5310B-2000
102.261 001	Dissolved Organic Carbon (DOC)	SM5310B-2000

Field of Testing: 107 - Microbiology of Wastewater

107.020 002	Total Coliform (Enumeration)	SM9221B-2006
107.030 002	Total Coliform with Chlorine Present	SM9221B,C-2006
107.040 002	Fecal Coliform (Enumeration)	SM9221C,E-2006
107.050 002	Fecal Coliform with Chlorine Present	SM9221C,E-2006
107.242 001	Enterococci	Enterolert
107.245 002	E. coli (Enumeration)	SM9223B (Collert)
107.247 001	E. coli (Enumeration)	SM9221B,F-2006

Field of Testing: 108 - Inorganic Chemistry of Wastewater

108.120 002	Chloride	EPA 300.0
108.120 008	Sulfate	EPA 300.0
108.120 012	Nitrate (as N)	EPA 300.0
108.120 013	Nitrate-Nitrite (as N)	EPA 300.0
108.120 014	Nitrite (as N)	EPA 300.0

As of 5/22/2018, this list supersedes all previous lists for this certificate number.
Customers: Please verify the current accreditation standing with the State.

108.120	015	Phosphate, Ortho (as P)	EPA 300.0
108.381	002	Oil & Grease Total	EPA 1664 Rev. B
108.390	001	Turbidity	SM2130B-2001
108.410	001	Alkalinity	SM2320B-1997
108.420	001	Hardness (calculation)	SM2340B-1997
108.430	001	Conductivity	SM2510B-1997
108.440	001	Residue, Total	SM2540B-1997
108.441	001	Residue, Filterable TDS	SM2540C-1997
108.442	001	Residue, Non-filterable TSS	SM2540D-1997
108.443	001	Residue, Settleable	SM2540F-1997
108.444	001	Temperature	SM2550B-2000
108.450	001	Chloride	SM4500-ChlorideB-1997
108.461	001	Chlorine, Total Residual	SM4500-Cl C-2000
108.490	001	Hydrogen Ion (pH)	SM4500-H+ B-2000
108.500	002	Ammonia (as N)	SM4500-NH3 B,C-1997
108.511	001	Kjeldahl Nitrogen, Total (as N)	SM4500-Norg B- 1997
108.532	001	Oxygen, dissolved	SM4500-O C-2001
108.536	001	Oxygen, dissolved	SM4500-O G-2001
108.592	001	Biochemical Oxygen Demand	SM5210B-2001
108.592	002	Carbonaceous BOD	SM5210B-2001
108.596	001	Organic Carbon-Total (TOC)	SM5310B-2000
108.868	001	Magnesium	ASTM D6919-09
108.868	002	Potassium	ASTM D6919-09
108.868	003	Sodium	ASTM D6919-09
108.868	004	Calcium	ASTM D6919-09

Field of Testing: 126 - Microbiology of Recreational Water

126.010	001	Total Coliform (Enumeration)	SM9221B,C-2006
126.030	001	Fecal Coliform (Enumeration)	SM9221B,E-2006
126.050	001	Total Coliform (Enumeration)	SM9223B (Colilert/Quanti-Tray)
126.050	002	E. coli (Enumeration)	SM9223B (Colilert/Quanti-Tray)
126.070	001	Enterococci	SM9230C-2007
126.080	001	Enterococci	Enterolert