



STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE



ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL ACCREDITATION

Is hereby granted to

Monterey One Water (M1W)

Laboratory Division

14811 Del Monte Boulevard

Marina, CA 93933

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site inspection,
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1195**

Expiration Date: **5/31/2020**

Effective Date: **6/1/2018**

A handwritten signature in black ink, appearing to read "Christine Sotelo".

Sacramento, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program



**CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing**



Monterey One Water (M1W)

Laboratory Division
14811 Del Monte Boulevard
Marina, CA 93933
Phone: 8318831118

**Certificate No. 1195
Expiration Date 5/31/2020**

Field of Testing: 101 - Microbiology of Drinking Water

101.010	001	Heterotrophic Bacteria	SM 9215 B
101.020	001	Total Coliform P/A	SM 9221 B
101.020	002	Fecal Coliform P/A	SM 9221 B,E
101.020	003	E. coli P/A	SM 9221 B,F
101.020	004	Total Coliform (Enumeration)	SM 9221 B,C
101.020	005	Fecal Coliform (Enumeration)	SM 9221 B,E
101.020	006	E. coli (Enumeration)	SM 9221 B,F
101.050	001	Total Coliform P/A	SM 9223 B Collert
101.050	002	E. coli P/A	SM 9223 B Collert
101.050	003	Total Coliform (Enumeration)	SM 9223 B Collert
101.050	004	E. coli (Enumeration)	SM 9223 B Collert

Field of Testing: 102 - Inorganic Chemistry of Drinking Water

102.030	003	Chloride	EPA 300.0
102.030	006	Nitrate (as N)	EPA 300.0
102.030	007	Nitrite (as N)	EPA 300.0
102.030	008	Phosphate,Ortho (as P)	EPA 300.0
102.030	009	Sulfate (as SO4)	EPA 300.0
102.100	001	Alkalinity	SM 2320 B-1997
102.120	001	Hardness (Calculation)	SM 2340 B-1997
102.130	001	Specific Conductance	SM 2510 B-1997
102.140	001	Residue, Filterable TDS	SM 2540 C-1997
102.260	001	Total Organic Carbon TOC	SM 5310 B-2000
102.261	001	Dissolved Organic Carbon (DOC)	SM 5310 B-2000

Field of Testing: 107 - Microbiology of Wastewater

107.020	002	Total Coliform (Enumeration)	SM 9221 B-2006
107.030	002	Total Coliform with Chlorine Present	SM 9221 B,C-2006
107.040	002	Fecal Coliform (Enumeration)	SM 9221 C,E-2006
107.050	002	Fecal Coliform with Chlorine Present	SM 9221 C,E-2006
107.242	001	Enterococci	Enterolert
107.245	002	E. coli (Enumeration)	SM 9223 B Collert
107.247	001	E. coli (Enumeration)	SM 9221 B,F-2006

Field of Testing: 108 - Inorganic Chemistry of Wastewater

108.120	002	Chloride	EPA 300.0
---------	-----	----------	-----------

As of 5/16/2019 , this list supersedes all previous lists for this certificate number.
Customers: Please verify the current accreditation standing with the State.

Monterey One Water (M1W)

Certificate No. 1195
Expiration Date 5/31/2020

108.120	008	Sulfate (as SO4)	EPA 300.0
108.120	012	Nitrate (as N)	EPA 300.0
108.120	013	Nitrate-Nitrite (as N)	EPA 300.0
108.120	014	Nitrite (as N)	EPA 300.0
108.120	015	Phosphate,Ortho (as P)	EPA 300.0
108.381	002	Oil & Grease Total	EPA 1664 B
108.390	001	Turbidity	SM 2130 B-2001
108.410	001	Alkalinity	SM 2320 B-1997
108.420	001	Hardness (Calculation)	SM 2340 B-1997
108.430	001	Specific Conductance	SM 2510 B-1997
108.440	001	Residue, Total	SM 2540 B-1997
108.441	001	Residue, Filterable TDS	SM 2540 C-1997
108.442	001	Residue, Non-filterable TSS	SM 2540 D-1997
108.443	001	Residue, Settleable	SM 2540 F-1997
108.444	001	Temperature	SM 2550 B-2010
108.450	001	Chloride	SM 4500-Chloride B-1997
108.461	001	Chlorine, Total Residual	SM 4500-Cl C-2000
108.490	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000
108.500	002	Ammonia (as N)	SM 4500-NH3 B,C-1997
108.511	001	Kjeldahl Nitrogen,Total (as N)	SM 4500-Norg B- 1997
108.532	001	Oxygen, Dissolved	SM 4500-O C-2001
108.536	001	Oxygen, Dissolved	SM 4500-O G-2001
108.592	001	Biochemical Oxygen Demand	SM 5210 B -2001
108.592	002	Carbonaceous BOD	SM 5210 B -2001
108.596	001	Organic Carbon-Total (TOC)	SM 5310 B-2000
108.868	001	Magnesium	ASTM D6919-09
108.868	002	Potassium	ASTM D6919-09
108.868	003	Sodium	ASTM D6919-09
108.868	004	Calcium	ASTM D6919-09

Field of Testing: 126 - Microbiology of Recreational Water

126.010	001	Total Coliform (Enumeration)	SM 9221 B,C-2006
126.030	001	Fecal Coliform (Enumeration)	SM 9221 B,E-2006
126.050	001	Total Coliform (Enumeration)	SM 9223 B Collert
126.050	002	E. coli (Enumeration)	SM 9223 B Collert
126.070	001	Enterococci	SM 9230 C-2007
126.080	001	Enterococci	Enterolert